

Noni has been used for centuries all over the world. The following table shows its uses according to region.

Hawaii	
Indication	Plant portion
Appetite loss	fruit, root
Asthma	fruit, bark
Backache	fruit
Blood purifier	fruit, root
Boils	fruit, leaf
Broken bones	fruit, leaf
Bruises/sprains	fruit, leaf
Concussions	fruit
Constipation	fruit, bark, flower
Cuts	fruit, leaf, bark, seed
Diabetes	fruit, flower
Fever	leaf
Gout	fruit
Gynecological problems	fruit, flower
Heart problems	fruit
Hemorrhaging	fruit
Hypertension	fruit
Kidney problems	fruit, flower
Lice	fruit
Perspiration	fruit, root
Rheumatic joints	leaf
Stomach pain	fruit
Skin eruptions	root
Thirst	fruit, root
Thrush	fruit, flower
Tonic	fruit, leaf, bark
Tuberculosis	fruit, bark
Weakness	fruit, root
Worms	fruit
Pacific Islands	
Indication	Plant portion
Abdominal swelling	fruit
Abscesses	terminal bud, fruit, leaf, bark, flower
Ague	leaf
Amenorrhea, secondary	leaf, bark
Bad breath	fruit
Bleeding in early pregnancy, severe	leaf
Bleeding, vaginal	leaf, bark
Boils	leaf, root, fruit
Breast carcinoma	leaf
Breast induration	leaf
Breast inflammation	leaf
Broken bones	leaf
Burns	unspecified

Centipede bite	leaf
Childbirth after pains	flower
Cold/fever, infant	leaf
Conjunctivitis	flower
Constipation, severe	leaf
Cough	bark, root, flower
Cuts, coral	root
Deodorant	leaf
Diabetes	fruit, leaf
Diarrhea	fruit , leaf
Diarrhea, infant	bark
Disuria	leaf
Ear infection	leaf
Elephantiasis	leaf
Eye complaints	fruit
Eye infection	leaf
Eye injury	leaf
Eye irritation	flower
Fever	fruit, leaf
Filarial inflammation	leaf
Fish poisoning	unspecified
Gum infection	fruit
Gum inflammation	leaf, fruit
Heart attack pain	fruit
Hemorrhage, postpartum	bark
Hemorrhoids	fruit, leaf
Hernia	stem
Hernia (diaphragmic)	fruit
Infertility	bark
Inflammation	leaf
Itching	leaf
Jaundice	root
Joint swelling	leaf
Malnutrition	root
Menorrhagia	bark
Menstruation problems	leaf
Menstruation, hemostatic in	bark, root
Mouth infections	fruit, bark
Muscle ache	leaf
Pharyngitis	leaf
Poisonous fish barbs	leaf
Postpartum complaints	bark
Postpartum discharge	leaf
Pregnancy pain	leaf
Ranula	unspecified
Raspy voice	fruit
Reef fish stings	unspecified
Rheumatism	leaf

Ringworm	fruit, leaf
Scabies	leaf, root
Scorpion fish wounds	stipule
Septicemia	leaf
Sinusitis	bark
Skin eruptions	root
Skin spots, spreading dark	fruit, bark, flower
Smallpox	root
Sore throat	fruit, leaf, bark, root, flower
Splinters	leaf
Sprains	leaf
Stiffness	leaf
Stingray wounds	root
Stomachache	fruit, bark, leaf
Stonefish stings/wounds	root
Stool, bloody	fruit
Sties	leaf, flower, petiole
Swelling	leaf
Testicular swelling	stem
Tetanus	leaf
Throat infection	fruit
Thrush	fruit, leaf
Tonic	fruit, leaf
Tonsillitis	unspecified
Toothache	fruit, root
Tuberculosis	fruit
Ulcerated sores of the feet	fruit
Ulcers	leaf, flower
Ulcers, gastric	leaf
Ulcers, mouth	fruit
Urinary disorders	bark, root
Urinary tract ailments	fruit
Vomiting	fruit
Whitlows	unspecified
Worms	bark
Worms, intestinal	fruit
Wounds	leaf
Wounds, infected	bark
Other Regions of the World	
Indication	Plant portion
Ague	bark
Anthelmintic	fruit
Antiseptic	root
Aperient	fruit
Arterial tension	root
Arthritis	root, leaf
Asthma	fruit
Beri-beri	fruit

Boils	leaf
Bowel complaints	bark
Catharsis	root
Centipede bite	root
Childbirth	bark
Colds	fruit
Colds, head	leaf
Constipation	fruit
Coryza	fruit
Cough	fruit, leaf
Deobstruent	fruit, leaf
Diabetes	fruit
Diarrhea	leaf
Diarrhea, infant	leaf
Dysentery	fruit, leaf, root
Emetic	fruit
Emmenagogue	fruit, leaf
Emollient	fruit, leaf
Febrifuge	bark, root, leaf
Febrifuge	fruit
Fever	leaf, root
Fever, severe	leaf
Fevers, bilious	fruit
Furunculosis	leaf
GI complaints	root
Gout	leaf, root
Gums, spongy	fruit
Headache	leaf
Heart trouble	unspecified
Hemorrhage	fruit
Hemorrhage, uterine	fruit
Hypertension	root
Inflammation	fruit
Leprosy sores	leaf
Leucorrhea	fruit
Liver ailments	root
Liver disease	fruit
Lumbago	root, fruit
Metrorrhea	fruit
Nausea	leaf
Neuralgia	leaf
Neuralgia	fruit
Osteodynia	root
Pain	leaf
Pneumonia	leaf
Purgative	leaf
Purgative	seed

